



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

KARWOWSKI et al.

Atty. Ref.: 839-1504

Serial No. 10/707,468

TC/A.U.: unknown

Filed: December 16, 2003

Examiner: unknown

For: ROTOR CLEARANCE MEASUREMENT GAGE

* * * * *

March 19, 2004

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:


INFORMATION DISCLOSURE STATEMENT

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 
Michael J. Keenan
Reg. No. 32,106

MJK:ljb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

INFORMATION DISCLOSURE CITATION

ATTY. DOCKET NO.

SERIAL NO.

839-1504

10/707,468

APPLICANT

KARWOWSKI et al.

FILING DATE

TC/A.U.

December 16, 2003

unknown



U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

[illegible]

***Examiner**

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.